

Effluent Products Specification RHW_v25

Hydrant Wash Down

The Reid & Harrison Hydrant Wash Down System comprises a high volume pump and a number of fixed outlets. The outlets, used one at a time, can swivel 360 degrees, enabling the operator to wash a large area from each hydrant point. The only requirement is a

water storage tank close to the pump.

Features

- The Wash Down System uses volume rather than pressure
- Reduces wash time by up to 90%
- Constructed in stainless steel therefore corrosion will never be an issue again compared to other brands.
- Designed with an industrial swivel that can rotate 360 degrees. The swivel consists of a single row of ball bearings sealed by two O-rings.
- Single or three phase options.
- Uses NO MORE water than conventional methods
- Simple to operate

Ideal For

All yards, including multiple slope yards. Steep sloping yards are no longer necessary

Product Codes

REID & HARRISON WASH DOWN SYSTEM	CODE
Reid & Harrison Wash Down System complete; with 1 hydrant	RHW01
Reid & Harrison Wash Down System complete; with 2 hydrants	RHW02
Reid & Harrison Wash Down System complete; with 3 hydrants	RHW03
Reid & Harrison Wash Down System complete; with 4 hydrants	RHW04
Reid & Harrison Wash Down System complete; with 5 hydrants	RHW05
Reid & Harrison Wash Down System complete; with 6 hydrants	RHW06
Reid & Harrison Wash Down System complete; with 7 hydrants	RHW07
Reid & Harrison Wash Down System complete; with 8 hydrants	RHW08
Reid & Harrison Wash Down System complete; with 9 hydrants	RHW09

Specifications are subject to change without notice



Distributed in Australia by: Dairy Pumping Systems Aust Pty Ltd 6 Ashenden Street, Leongatha, Victoria 3953, Australia Phone: 03 9739 6521 Email: info@dairypumpingsystems.com.au



When paired with a 33l/s water pump @ 3Bar the hydrant will achieve a 20-meter radius of cover.